
Title: Data Processing Apparatus and its Operation Mode...
Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570


1/24


Fig.1





2/24







Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570


Atty. Docket No.: 9976-21US (OB0049US)

Fig.4










Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570

Fig.7 7/24



8/24





Fig.8

Title: Data Processing Apparatus and its Operation Mode...
Inventor: Kengo OCHI


Express Mail No.: EV 312205203 US Customer No.: 570 Atty. Docket No.: 9976-21US (OB0049US)



Fia.9

Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570



<html></html>
<body></body>
<pre><div style="display:none;"><img border="0" src="img/dark.gif"/></div></pre>
<pre><div style="display:none;"><img border="0" src="img/green.gif"/></div></pre>
<html></html>





Fig. 12

13/24



Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570

14/24





Fig.15

CLIENT IDENTIFIER	UPDATING INTERVAL
1ST PROCESSING APPARATUS:31	30 SEC.
2ND PROCESSING APPARATUS:32	1 HOUR
3RD PROCESSING APPARATUS:33	10 MIN.
DEFAULT	1 MIN.


Title: Data Processing Apparatus and its Operation Mode...
Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570 Attv. Docket No.: 9976-21US (OB0049US)

Fig. 16




16/24



UPDATING INTERVAL	340
APPARATUS IDENTIFIER	E3

UPDATING INTERVAL	1 HOUR
APPARATUS IDENTIFIER	E2


APPARATUS	UPDATING
IDENTIFIER	INTERVAL
E1	30 SEC.



Inventor: Kengo OCHI
Express Mail No.: EV 312205203 US Customer No.: 570

19/24

Fig.20




Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570


Atty. Docket No.: 9976-21US (OB0049US)

Fig.21



Inventor: Kengo OCHI


Express Mail No.: EV 312205203 US Customer No.: 570



## Fig.23

```
<frame src="blank.htm"NAME="stauswin"NORESIZE MARGINHEIGHT="10">
                                                                                                                                                                                                                                                                                                                                                                                                                          <FRAMESET ROWS="120,*" BORDER="1"FRAMESPACING="0"FRAMEBORDER="1">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 <FRAME SRC="blank.htm"NAME="setting"SCROLLING="no"NORESIZE>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                           <frameset cots="0.0,*" border="0"FRAMESPACING="0"FRAMEBORDER="0">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     <FRAME SRC="first.htm"NAME="first"SCROLING="no"NORESIZE>
                                                                                                                                                                                                             <META HTTP-EQUIV="Content-Type"CONTENT="text/html">
                                                                                                                                                                                                                                                                     <TITLE>PRINTER(IP Addr:100.101.102.103)</TITLE>
<IDOCTYPE HTML PUBLIC"-//W3C//DTD HTML 3.2//EN">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            </FRAME SRC="work.htm"NAME="work">
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               </framese>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              <FRAMESET>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    </HTML>
                                                                                                                                                           <HEAD>
                                                   <HTML>
```

23/24



Inventor: Kengo OCHI

Express Mail No.: EV 312205203 US Customer No.: 570

24/24

Fig.25

